

	Document Name: Specification of T20/C4 INDICA	Document No: QA-COA-012	Version: 01
	Effective Date: 28.01.20		Page 1 of 1 Pages
Approved By QA Manager:	Felicia Molnar	Signature: 	Date: 22.01.2020


Product Form: Inflorescence / Grind / Cigarettes 453-20

Product/Strain Name T20C4 Farm Name Bazelet

Batch No. RHBT20C04136 B Analysis date 16.04.2020

No.crt	Analysis name	Method	Specification	Result
1.	Appearance	Visual		pass
2.	Identification	HPLC	RT CONFORMS	pass
3.	Humidity	LOD	12% (9-15%)	11%
4.	Assay	HPLC		
4.1.	THC <i>total dry</i>		20% (16%-24%)	17.5%
4.2.	CBD		4% (0%-7%)	6.0%
4.3.	CBN		0% (up to 1.5%)	1.7%
4.4.	THC A		INDICATIVE	16.9%
4.5.	CBD A		INDICATIVE	6.0%
5. *	Microbiology			
5.1.	Total count TAMC		NMT 20,000 CFU/g	
5.2.	TYMC		NMT 2000 CFU/g	SEE
5.3.	E. Coli		NMT 20 CFU/g	ATTACHED
5.4.	E. Coli O-157		Negative	DOCUMENTS
5.5.	Salmonella		Negative	
5.6.	Shigella		Negative	
5.7.	Enterobacteriaceae		Negative	
5.8.	Listeria		Negative	
5.9.	S. Aureus		Negative	
5.10	P. Aeruginosa		Negative	
6. *	Toxins			SEE
6.1.	Aflatoxin - B1		NMT 2 µg/kg	ATTACHED
6.2.	Total Aflatoxins (B1, B2, G1, G2)		NMT 4 µg/kg	DOCUMENTS
6.3.	Ochratoxin A		Negative	

Performed by Tatiana Signature  Date 16.4.2020

QC Approved by Yhna Signature  Date 16.4.20

* Paragraph 5 Performed: "In House" / Outsource, Paragraph 6 Performed By Aminolab
See Attached documents

CQP Approved by: Felicia Molnar / Iso Heller Signature  Date 19.04.20

22/04/2020
מס' 012413.20

לכבוד:

בזלת נחושתן בע"מ



תעודה מס' 012413.20 לתוצאות המעבדה

מס' אצווה: RHBT20C04136

מס' אמינולאב: 029264.20-C
תאור הדוגמה: גליליות קנביס FP
תאריך קבלה: 13/04/2020
נדגם ע"י: הלקוח
סוג הדיגום: --

תוצאות הבדיקה:

הערות	תוצאה	יחידות מידה	הבדיקה
			כימיה
1			אפלאטוקסינים G1 G2 B1 B2
-	ND	ppb	אפלאטוקסין G1
-	ND	ppb	אפלאטוקסין G2
-	ND	ppb	אפלאטוקסין B1
-	ND	ppb	אפלאטוקסין B2
-	ND	ppb	סה"כ אפלאטוקסינים
2	ND	ppb	אוכרטוקסין A

Not Detected = ND, מתחת לסף הגילוי

הערות לבדיקה:

אין הערות = (-)

- אפלטוקסינים - הרמה המותרת בקנאביס בישראל: עבור אפלטוקסין B1 היא 2ppb, סה"כ אפלטוקסינים - 4ppb.
- אוכרטוקסין A - רמות מותרות לקנאביס בישראל טרם הוגדרו.

חתימה:



אושר ע"י: דר' רביטל רפפורט-מנהלת המחלקה

דף 1 מתוך 2

יש להתייחס לנתונים המופיעים במסמך זה במלואם ואין להעתיק או לצטט, את כולם או חלקם, למסמכים אחרים. הנתונים המפורטים משקפים במדויק את התוצאות של הדוגמה שנמסרה לבדיקה, כפי שהתקבלה במעבדה אין לעשות שימוש בשמה של אמינולאב בע"מ או במוניטין שלה, בהקשר לנתונים או הממצאים המצוינים במסמך זה אלא ובכפוף לאישורה המוקדם בכתב.

22/04/2020
מס' 012413.20

מס' אמינולאב: 029264.20-C



הסמכות / הכרות:

- למעבדה מערכת איכות מוסמכת לפי ISO/IEC 17025 והיא פועלת בהתאם לנהלי עבודה מסודרים.
- א. הכרה ע"י המחלקה לקאנביס רפואי של משרד הבריאות.
- ב. המעבדה מוסמכת לביצוע הבדיקה לפי ISO/IEC 17025 מטעם הרשות הלאומית להסמכת מעבדות. הרשות הלאומית להסמכת מעבדות אינה אחראית לתוצאות הבדיקה שערכה המעבדה ואין ההסמכה מהווה אישור לפריט שנבדק.

029

חתימה:



אושר ע"י: דר' רביטל רפפורט-מנהלת המחלקה

דף 2 מתוך 2

יש להתייחס לנתונים המופיעים במסמך זה במלואם ואין להעתיק או לצטט, את כולם או חלקם, למסמכים אחרים. הנתונים המפורטים משקפים במדויק את התוצאות של הדוגמה שנמסרה לבדיקה, כפי שהתקבלה במעבדה אין לעשות שימוש בשמה של אמינולאב בע"מ או במוניטין שלה, בהקשר לנתונים או הממצאים המצוינים במסמך זה אלא ובכפוף לאישורה המוקדם בכתב.

* סוף תעודת הבדיקה *



Certificate issue date: 19/04/2020

Microbiological Test Results-Certificate of Analysis 20-366612

Customer	Bazelet group
Contact person	
Address	

Telephone	
Email	
Sampled by	Client

Delivery date	13/04/2020
Test date	13/04/2020
Order number	0565

Lab number	Sample description	Batch	TAMC	TYMC	Escherichia coli	Staphylococcus aureus	Salmonella	Pseudomonas aeruginosa	Bile Tolerance Presence	Listeria spp.	E. coli O157	Shigella ISO
20-366612/001	מגולגל FP	RHBT20C04136	<1*10 ³	<10	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected	Not Detected
Standard/method			USP <61>/ Ph.Eur2.6.12	USP <61>/ Ph.Eur2.6.12	USP <62>/ Ph.Eur2.6.13	USP <62>/ Ph.Eur2.6.13	USP <62>/ Ph.Eur2.6.13	USP <62>/ Ph.Eur2.6.13	USP <62>/ Ph.Eur2.6.13	ISO 11290-1	ISO 16654	ISO 21567
Units			CFU/g	CFU/g	Per g	Per g	Per 10g	Per g	per g	Per 1 g	Per 1 g	Per 1 g
Specification			<2*10 ⁴	<2*10 ³	Absence	Absence	Absence	Absence	Absence	Absence	Absence	Absence
Accreditation/recognition			A B C	A B C	A B C	A B C	A B C	A B C	A B C	A B	A	(-)

Accreditation/recognition:

The institute's quality system complies with ISO/IEC 17025 and follows written SOP

- A. The laboratory is authorized to perform the test according to ISO/IEC 17025 by ISRAC requirements
- B. The laboratory is recognized by the Israeli Ministry of Health to perform the test.

C. The laboratory is certified by the Israeli Ministry of Health to perform the test according to GMP

(-) no accreditation, no recognition

This certificate is valid only when it is presented in its complete format, and it is not permitted to extract part for inclusion in any other document. The data presented, accurately expresses the results for the sample described above only. The laboratory's standards are traceable to national and international standards. ISRAC is not responsible for the test results conducted by the institute, and the accreditation does not confirm the item tested.

The use of ISRAC symbol relates to tests/calibrations which are included in the organization scope of accreditation, and performed according to the accreditation rules as detailed in the accreditation certificate.

Pharmaceutical, Medical Devices and Cosmetics laboratories:

Authorizer: Dr. Irit Weiser. CEO. :

Reviewer: Analyst Nasreen Zidany. :

End of certificate of analysis